Single Column Box Type High Speed/Universal Stacker

Basic Information



Product Specification

Model: CSHH-WS-G100-L600*W400

Running Speed: 0~360m/minLifting Speed: 0~120m/min

Platform Form: Single/double Extension Position,

Single/double Station, Plate Fork, Clamp

Fork Model

Overall Height: ≤8mRated Load: 0~100kg

Material: Aluminum Alloy/steel Columns

• Lifting Method: Steel Wire Rope, Chain, Synchronous Belt

Motion Positioning

Accuracy:

±5mm

• Lifting Positioning ±3mm

Accuracy:

Fork Positioning Accuracy: ±2mm

Working Mode: Manual/single Machine Automatic/online

Product Description

The stacker crane is the main machine in a complete set of equipment in a three-dimensional warehouse, used in conjunction with high-bay racking, inbound/outbound platforms and inbound/outbound systems. It is a lifting machine that moves on guide rails. It can walk, lift, retract on both sides in a three-dimensional space and move repeatedly in a specific order to complete the inbound and outbound handling of container units or selected goods.





















HUAHENG Kunshan Huaheng Welding Co., Ltd.

+86 13962665533

huaheng1995@gmail.com



huahengautomation.com

No.99 WuSongJiang Road, KunShan, JiangSu, PR.China PC.215334